

# Freeform Search

<b>Database:</b>	<input type="checkbox"/> US Pre-Grant Publication Full-Text Database <input type="checkbox"/> US Patents Full-Text Database <input type="checkbox"/> US OCR Full-Text Database <input type="checkbox"/> EPO Abstracts Database <input type="checkbox"/> JPO Abstracts Database <input type="checkbox"/> Derwent World Patents Index <input type="checkbox"/> IBM Technical Disclosure Bulletins
<b>Term:</b>	<input type="text" value="L18"/> <span style="float: right; border: 1px solid black; padding: 2px;">[ ]</span>
<b>Display:</b>	<input type="text" value="10"/> Documents in <u>Display Format:</u> <input type="checkbox"/> KWIC <input type="checkbox"/> Starting with Number <input type="text" value="1"/>
<b>Generate:</b>	<input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image

---

## Search History

**DATE:** Monday, November 06, 2006    [Purge Queries](#)    [Printable Copy](#)    [Create Case](#)

Set Name Query

side by side

Hit Count Set Name  
result set

*DB=PGPB; PLUR=YES; OP=ADJ*

<u>L20</u>	L18	1	<u>L20</u>
<u>L19</u>	L18	1	<u>L19</u>
<u>L18</u>	L2 and (select\$ near5 encoded near5 packet\$ near5 criteria)	1	<u>L18</u>
<u>L17</u>	L2 and uncapsulat\$	0	<u>L17</u>

*DB=USPT; PLUR=YES; OP=ADJ*

<u>L16</u>	L2 and (program\$ near5 router\$)	0	<u>L16</u>
<u>L15</u>	L2 and uncapsulat\$	0	<u>L15</u>
<u>L14</u>	L2 and un-capsulat\$	0	<u>L14</u>
<u>L13</u>	(packet\$ near5 (uncapsulat\$ or un-capsulat\$))	2	<u>L13</u>
<u>L12</u>	(network\$ and (uncapsulat\$ or un-capsulat\$)).ab.	0	<u>L12</u>
<u>L11</u>	(network\$ and (uncapsulat\$ or un-capsulat\$))	8	<u>L11</u>
<u>L10</u>	L9 and L6	14	<u>L10</u>
<u>L9</u>	L5 and (header\$)	33	<u>L9</u>
<u>L8</u>	L5 and (encod\$ near3 header\$)	0	<u>L8</u>
<u>L7</u>	L5 and (encoded near header\$)	0	<u>L7</u>
<u>L6</u>	L5 and (encapsulat\$ or uncapsulat\$ or un-capsulat\$)	18	<u>L6</u>
<u>L5</u>	((context or content) adj1 based adj1 rout\$)	64	<u>L5</u>
<u>L4</u>	((context or content) adj3 rout\$)	2644	<u>L4</u>

*DB=PGPB; PLUR=YES; OP=ADJ*

<u>L3</u>	L2 and array	1	<u>L3</u>
<u>L2</u>	20050262005	1	<u>L2</u>
<u>L1</u>	520050262005	0	<u>L1</u>

END OF SEARCH HISTORY